

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	78459	"714"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 08:58
L2	383	1 and (error and check\$4).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 08:58
L3	38	2 and receiv\$4 with parity with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 08:59
L4	38	3 and check\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 08:59
L5	36	3 and check\$4 same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 08:59
L6	9	5 and CRC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 08:59
L7	0	6 and corrupt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:00
L8	42	corrupt\$4 same CRC same data near4 invalid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:01
L9	0	8 and corrupt\$4 same CRC same parity same check\$4 same data near2 invalid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:20
L10	0	1 and corrupt\$4 same CRC same parity same check\$4 same data near2 invalid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:20

## EAST Search History

L11	0	corrupt\$4 same CRC same parity same check\$4 same data near2 invalid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:20
L12	0	corrupt\$4 same CRC same parity same data near2 invalid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:20
L13	0	corrupt\$4 same (CRC or cyclic near4 check\$4) same parity same data near2 invalid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:22
L14	831	1 and (transmission and reception) near4 (device or apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:25
L15	35	14 and transmi\$4 same command same predetermin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:27
L16	2	15 and receiv\$4 same (data or command) same valid\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:28
L17	31656	1 and (receiv\$4 and transmit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:42
L18	17570	17 and transmi\$4 same data same receiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:43
L19	15603	18 and data near4 transmi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:52
L20	14194	18 and data near4 transmi\$5 same receiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:53

## EAST Search History

L21	236	18 and data near4 transmi\$5 same receiv\$4 same downstream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:53
L22	6	21 and receiv\$4 same check\$4 same error same data same (valid or invalid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 09:54
L23	26	18 and data near4 (transmitter and receiver) same receiv\$4 same downstream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 10:08
L24	1	23 and receiv\$4 same check\$4 same error same valid\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 10:16
L25	7690	1 and (receiver and transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 10:20
L26	4811	25 and transmitter same transmit\$4 same (command or data ) same receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 10:20
L27	52	26 and (receiver or reception adj device) same check\$4 near5 (valid\$4 or invalid\$4) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 10:23
L28	52	27 and (communication transmission device downstream protocol check\$4 state element validity valid invalid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 10:25
L29	3	28 and receiver same check\$4 same (invalid near4 data or non-valid near4 data or "not adj valid" adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 12:18
L30	0	28 and receiver same check\$4 same (invalid near4 data or non-valid near4 data or "not adj valid" adj data) same CRC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 13:08

## EAST Search History

L31	0	28 and (corrup\$5 with CRC with parity with invalid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 13:19
L32	0	28 and (corrup\$5 with CRC with parity with fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 13:20
L33	0	28 and (corrup\$5 with CRC with parity with error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 13:20
L34	0	28 and receiver same check\$4 same invalid adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 13:23
L35	42	receiver same check\$4 same invalid adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 13:23
L36	5	receiver same check\$4 same invalid adj data same CRC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 13:24
L37	1	1 and receiver same CRC same invalid adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/02 13:37